

EUROPLAST



FLUIDTERM PROGRAM

PADOBRANCI TIPLI

KOMPRESIJE SPOJNICE

GUŽVAJUĆI TIPLI

Jedan SAVET! Kvalitet na prvom mestu.

GALANTERIJA

WC DASKE

PPR

GLAMUR

SRPS ISO 9001

SRPS ISO 14001

Vidi se lepše u ogledalu Europlasta

za unutrašnju upotrebu

za spoljašnju upotrebu

KATALOG PROIZVODA

PRODUCTS CATALOGUE



Sa pet decenija tradicije samostalna plastičarska radnja „Europlast“ je lider na tržištu u preradi plastičnih masa u Srbiji. Brend Europlast poznat je po vrhunskom kvalitetu, konkurentnim cenama i bogatom asortimanu robe iz oblasti fluidterm programa, kupatilske opreme i kompresionog fittinga (spojnica). Kontinuirani prosperitet na tržištu ostvaruje zahvaljujući pre svega standardno dobrom kvalitetu proizvoda, novom dizajnu, prateći savremene trendove u želji da zadovolji najviše kriterijume potrošača. Da bi osigurala stabilnost kvaliteta u proizvodnji svojih proizvoda samostalna plastičarska radnja Europlast je uvela i organizovala svoj rad po sistemu menadžmenta kvaliteta ISO 9001 i ISO 14001. Za uvedeni sistem menadžmenta kvalitetom dobijen je sertifikat prvi put 2007.

Menadžment Europlasta ima sluha za savremena tržišna kretanja. Postoji svest o tome da lidersku poziciju na tržištu u proizvodnji fluidterm programa, stvorenu pre svega izuzetnim i konstantnim dugogodišnjim kvalitetom proizvoda, treba održati ali i izgraditi nove, jednako uspešne brendove.

Svoju uspešnu strategiju zaokruživanja procesa proizvodnje Europlast je preneo i u oblast proizvodnog programa poznat kao kompresioni fitting za spajanje okiten creva.

Novi Europlastovi proizvodi osvajaju tržište.

With its tradition of five decades, the independent firm Europlast is the leader in plastic masses processing in Serbia. Brand Europlast is known for its top quality, competitive prices and large assortment of goods: Fluidterm programme, bathroom equipment and compression fitting (couplings). The firm achieves continuous prosperity on the market, and satisfies the highest criteria of consumers, thanks to good quality of its products above all, but also to new design and following the latest trends. In order to assure the stability of quality in its production, the independent firm Europlast organized its work according to the quality management system ISO 9001 and ISO 14001. The certificate for the applied quality management system was obtained for the first time in 2007.


The Europlast management is aware of the contemporary market development. They know that the leadership position on the market in the Fluidterm programme production, created thanks to the excellent and continuous quality of the products, needs to be maintained, and that new, equally successful brands should be formed. In order to complete the process of production, Europlast applied its successful strategy to producing compression fittings for joining okiten pipes. The new products of Europlast are taking over the market.

CEVI

- Fluidterm cevi su namenjene instalaciji kako za hladnu i toplu vodu, tako i za higijensko sanitarnu vodu.
- Mogu se koristiti u instalaciji za razvod vazduha pod pritiskom, protok prehrambenih tečnosti, instalaciju u hemijskoj industriji.

PIPES

- Fluidterm pipes are used in plumbing for cold and hot water, as well as for sanitary water.
- They can also be used for distribution of air under pressure, flow of alimentary fluids and in chemical industry.




FLUIDTERM PROGRAM



FLUIDTERM PROGRAMME




CEV / PIPE



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 x 4 mm	131
3/4"	25 x 5 mm	132
1"	32 x 6 mm	133
5/4"	40 x 7 mm	456
6/4"	50 x 10.1 mm	520
2"	63 x 12.7 mm	509




ZAobilazni luk kraći
SHORT BRIDGE



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	804
3/4"	25 mm	806




ZAobilazni luk duži
LONG BRIDGE



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	149
3/4"	25 mm	150




DISTANCER / DISTANCER



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	227




MUF / SOCKET



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	134
3/4"	25 mm	135
1"	32 mm	136
5/4"	40 mm	457
6/4"	50 mm	522
2"	63 mm	501




REDUCIR / REDUCER



dimenzije / dimensions		
col / inch	Ø	šifra / code
3/4" - 1/2"	25 / 20 mm	137
1" - 1/2"	32 / 20 mm	482
1" - 3/4"	32 / 25 mm	495
5/4" - 1/2"	40 / 20 mm	483
5/4" - 3/4"	40 / 25 mm	484
5/4" - 1"	40 / 32 mm	458
6/4" - 1"	50 / 32 mm	517
6/4" - 5/4"	50 / 40 mm	516
2" - 5/4"	63 / 40 mm	511
2" - 6/4"	63 / 50 mm	515




KOLENO 90° / ELBOW 90°



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	140
3/4"	25 mm	141
1"	32 mm	142
5/4"	40 mm	459
6/4"	50 mm	519
2"	63 mm	503




KOLENO 45° / ELBOW 45°



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	203
3/4"	25 mm	478
1"	32 mm	805




TEŠTIK / TEE



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	143
3/4"	25 mm	144
1"	32 mm	145
5/4"	40 mm	460
3/4" - 1/2"	25 / 20 mm	494
1" - 1/2"	32 / 20 mm	488
1" - 3/4"	32 / 25 mm	493
5/4" - 1/2"	40 / 20 mm	490
5/4" - 3/4"	40 / 25 mm	491
5/4" - 1"	40 / 32 mm	492
6/4"	50 mm	521
2"	63 mm	502



ŠELNA / PIPE CLAMP



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	152
3/4"	25 mm	153
1"	32 mm	154
5/4"	40 mm	461
6/4"	50 mm	779
2"	63 mm	800


FLUIDTERM PROGRAM



FLUIDTERM PROGRAMME




ŠELNA SA TIPLOM
PIPE CLAMP WITH FIXING



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	496
3 / 4"	25 mm	600




DUPLA ŠELNA / DOUBLE CLAMP
ZA RADIJATORSKO GREJANJE / FOR RADIATOR HEATING



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	216
	15 mm	2025
	18 mm	2026
	28 mm	2027
	35 mm	2028




ČEP / END CAP



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	146
3 / 4"	25 mm	147




ČEP SA NAVOJEM / THREADED CAP



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	155




ČEP NAVOJ DUŽI / LONG THREADED CAP



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	148




KAPA ZA ZAVRŠNO KOLENO
CAP FOR END ELBOW



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	497
3 / 4"	25 mm	497




ROZETNA / ROSETTE



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	204
3 / 4"	25 mm	205




KAPA ROZETNA / ROSETTE CAP



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	400
3 / 4"	25 mm	4000




VENTIL / VALVE



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	178
3 / 4"	25 mm	179
1"	32 mm	180
5 / 4"	40 mm	464
6 / 4"	50 mm	518
2"	63 mm	510



VENTIL SA UKRASNOM KAPOM
VALVE WITH DECORATIVE KNOB



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	486
3 / 4"	25 mm	500

Jedan **SAVET!** Kvalitet na prvom mestu.



KAPA SA ŠTELUJUĆOM ROZETNOM PVC BELA GUMICA



Garancija za naš kvalitet je pet decenija postojanja.
Novi Europlastovi proizvodi osvajaju tržište.
Kvalitet kao prepoznatljiv atribut.

CAP WITH ADJUSTABLE ROSETTE PVC WHITE RUBBER



BELA / WHITE


METALIZIRANA / METALLIC

PLAVA / BLUE

FLUIDTERM PROGRAMME




VENTIL SA KUGLOM BALL VALVE



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	777
3 / 4"	25 mm	778
1"	32 mm	2015
5 / 4"	40 mm	2016
6 / 4"	50 mm	2017
2"	63 mm	2018




VENTIL UKRASNA KAPA SA LEPTIROM WING NUT VALVE DECORATIVE CAP



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	801
3 / 4"	25 mm	802




VENTIL SA ISPUSTOM VALVE WITH OUTLET



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	481




VENTIL SA ISPUSTOM VALVE WITH OUTLET



dimenzije / dimensions		
col / inch	Ø	šifra / code
3 / 4"	25 mm	243
1"	32 mm	244



VENTIL SA KAPOM I KLIZNOM ROZETNOM VALVE WITH CAP AND SLIDING ROSETTE



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	771
3 / 4"	25 mm	243

Assortment is made in five colours: white, light blue, dark blue, gray and green.


FLUIDTERM PROGRAM



FLUIDTERM PROGRAMME




EK - VENTIL / EK - VALVE



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2" - 3/4"	20 - 25 mm	232




**PRIKLUČAK ZA VEŠ MAŠINU
WASHING MACHINE CONNECTION**



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2" - 3/4"	20 - 25 mm	237




**ZAVRŠNO KOLENO SA UNUTAŠNJIM NAVOJEM
END ELBOW - FEMALE THREADED**



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2" - 1/2"	20 - 20 mm	158




**ZAVRŠNO KOLENO SA SPOLJAŠNJIM NAVOJEM
END ELBOW - MALE THREADED**



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2" - 3/4"	20 - 25 mm	159
1/2" - 1/2"	20 - 20 mm	2006




**TEŠTIK SA UNUTAŠNJIM NAVOJEM
TEE FEMALE THREADED**



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	172
3/4"	25 mm	173




**TEŠTIK SA SPOLJAŠNJIM NAVOJEM
TEE MALE THREADED**



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	175
3/4"	25 mm	176




**KOLENO SA UNUTAŠNJIM NAVOJEM
ELBOW - FEMALE THREADED**



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	166
3/4"	25 mm	167
1"	32 mm	774




**KOLENO SA SPOLJAŠNJIM NAVOJEM
ELBOW - MALE THREADED**



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	169
3/4"	25 mm	170




**NIPLI SA UNUTAŠNJIM NAVOJEM
NIPPLE ROUND FEMALE**



dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	160
3/4"	25 mm	161
1"	32 mm	162
5/4"	40 mm	462
6/4"	50 mm	507
2"	63 mm	505



**NIPLI SA SPOLJAŠNJIM NAVOJEM
NIPPLE ROUND MALE**




dimenzije / dimensions		
col / inch	Ø	šifra / code
1/2"	20 mm	163
3/4"	25 mm	164
1"	32 mm	165
5/4"	40 mm	463
6/4"	50 mm	506
2"	63 mm	504

FLUIDTERM PROGRAM




SET ZA BATERIJU SA UNUTAŠNJIM NAVOJEM
SHOWER VALVE BODY - FEMALE



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	776




SET ZA BATERIJU SA SPOLJAŠNJIM NAVOJEM
SHOWER VALVE BODY - MALE




dimenzije / dimensions		
col / inch	Ø	šifra / code
3 / 4"	25 mm	803




MUF SA ISPUSTOM
SOCKET WITH OUTLET



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	2013
3 / 4"	25 mm	2014



HOLENDER / ADAPTOR



dimenzije / dimensions		
col / inch	Ø	šifra / code
1 / 2"	20 mm	196
3 / 4"	25 mm	197
1"	32 mm	198
5 / 4"	40 mm	499

KATALOG

EUROPLAST

FOR INNER
INSTALLATION

ZA UNUTRAŠNJU
UGRADNJU

Proizvodni program se izrađuje u pet boja: bela, svetlo plava, tamno plava, siva i zelena.



TEŠTIK

Ø 20 mm
Ø 25 mm



VENTIL SA
ISPUSTOM

Ø 20 mm
Ø 25 mm



TEŠTIK UN

Ø 20 mm
Ø 25 mm



VENTIL SA
LEPTIROM

Ø 20 mm
Ø 25 mm



TEŠTIK SN

Ø 20 mm
Ø 25 mm



VENTIL SA
UKRASNOM
KAPOM

Ø 20 mm
Ø 25 mm



NIPLI SN

Ø 20 mm
Ø 25 mm



VENTIL

Ø 20 mm
Ø 25 mm



NIPLI UN

Ø 20 mm
Ø 25 mm



EK VENTIL

Ø 20 mm



HOLENDER

Ø 20 mm
Ø 25 mm



ZA OBILAZNI
LUK
KRAČI

Ø 20 mm
Ø 25 mm



CEV

Ø 20 mm
Ø 25 mm



ZA OBILAZNI
LUK

Ø 20 mm
Ø 25 mm



SET ZA
BATERIJU
SA SN

Ø 25 mm



SET ZA
BATERIJU
SA UN

Ø 20 mm



ČEP

Ø 20 mm
Ø 25 mm



KOLENO 45°

Ø 20 mm
Ø 25 mm



ČEP SA
NAVOJEM

Ø 20 mm



KOLENO SN

Ø 20 mm
Ø 25 mm



MUF

Ø 20 mm
Ø 25 mm



ZAVRŠNO
KOLENO SN

Ø 20/20 mm
Ø 20/25 mm



ŠELNA
SA TIPILOM

Ø 20 mm
Ø 25 mm



KOLENO 90°

Ø 20 mm
Ø 25 mm



ŠELNA

Ø 20 mm
Ø 25 mm



KOLENO UN

Ø 20 mm
Ø 25 mm



DUPLA
ŠELNA

Ø 20 mm



ZAVRŠNO
KOLENO UN

Ø 20/20 mm



PRIKLJUČAK
ZA
VEŠ MAŠINU

Ø 20 mm



MASKA ZA
ZAVRŠNO
KOLENO

Ø 20 mm



REDUCIR

Ø 25/20 mm

NOVI CEVOVOD ZA NOVI VEK
NEW PIPELINE FOR NEW CENTURY



Fluidterm cevi su namenjene instalaciji kako za hladnu i toplu vodu, tako i za higijensko sanitarnu vodu.

Mogu se koristiti u instalaciji za razvod vazduha pod pritiskom, protok prehrambenih tečnosti, instalaciju u hemijskoj industriji.

PREDNOSTI:

- dug vek
- otpornost na spoljne uticaje
- otpornost na mraz
- nema korozije i stvaranja kamenca
- brza i laka montaža
- metalni ulošci su obloženi polipropilenom tako da tečnost koja protiče nije u direktnom kontaktu sa njima
- visoka zavarljivost, zavarivanje na temperaturi od 270° C
- na svim cevima i spoljnim elementima nalazi se znak proizvođača EUROPLAST
- proizvodni program se izražuje u četiri boje: bela, svetlo, tamno plava i siva.

Fluidterm pipes are used in plumbing for cold and hot water, as well as for sanitary water.

They can also be used for distribution of air under pressure, flow of alimentary fluids and in chemical industry.

ADVANTAGES:

- Long life
- Resistance against outer influences
- Resistance against freezing
- Resistance against corrosion and scale formation
- Fast and easy installation
- Metal inserts are coated with polypropylene so that the fluid which flows through the pipes is not in direct contact with them
- High welding capability, welding on temperature of 270° C
- There is the sign of the producer EUROPLAST on all pipes and fittings
- Assortment is made in five colours: white, light and dark blue, gray and green.




KOMPRESIONE SPOJNICE

COMPRESSION FITTINGS




POLUSPOJNICA SN MALE FITTING




Dimenzije dimensions		
col inch	Ø	šifra code
1/2"	20 mm	3000
3/4"	25 mm	3001
1"	32 mm	3002
5/4"	40 mm	3003
6/4"	50 mm	3004
2"	63 mm	3005

SPOJNICA REDUCIR REDUCER FITTING




Dimenzije dimensions		
col inch	Ø	šifra code
1/2 - 3/4"	20-25 mm	3018
1 - 3/4"	32-25 mm	3019
5/4 - 1"	40-32 mm	3020

POLUSPOJNICA UN FEMALE FITTING




Dimenzije dimensions		
col inch	Ø	šifra code
1/2"	20 mm	3006
3/4"	25 mm	3007
1"	32 mm	3008
5/4"	40 mm	3009
6/4"	50 mm	3010
2"	63 mm	3011

TEŠTIK SPOJNICA TEE FITTING




Dimenzije dimensions		
col inch	Ø	šifra code
1/2"	20 mm	3028
3/4"	25 mm	3029
1"	32 mm	3030
5/4"	40 mm	3031

SPOJNICA STRAIGHT FITTING




Dimenzije dimensions		
col inch	Ø	šifra code
1/2"	20 mm	3012
3/4"	25 mm	3013
1"	32 mm	3014
5/4"	40 mm	3015
6/4"	50 mm	3016
2"	63 mm	3017

TEŠTIK POLUSPOJNICA UN TEE FITTING - FEMALE




Dimenzije dimensions		
col inch	Ø	šifra code
1/2"	20 mm	3034
3/4"	25 mm	3035

KOLENO SPOJNICA ELBOW FITTING




Dimenzije dimensions		
col inch	Ø	šifra code
1/2"	20 mm	3021
3/4"	25 mm	3022
1"	32 mm	3023
5/4"	40 mm	3024

KOLENO POLUSPOJNICA SN STREET ELBOW FITTING



Dimenzije dimensions		
col inch	Ø	šifra code
3/4"	25 mm	3027
1"	32 mm	3039
5/4"	40 mm	3040

ZAVRŠNA SPOJNICA END FITTING



Dimenzije dimensions		
col inch	Ø	šifra code
1/2"	20 mm	3036
3/4"	25 mm	3037
1"	32 mm	3038

KOMPRESIONI FITTING COMPRESSION FITTING



- ① Telo / Body
- ② Zaptivka / Gasket
- ③ Uvodnik / Thrust ring
- ④ Prsten / Clamp ring
- ⑤ Navrtka / Nut

PP kompresioni fitting služi za spajanje polietilenskih cevi (okiten creva)
PP compression fitting is used for joining polyethylene pipes (okiten hoses)
 Materijal / Material: polipropilen (PP) / polypropylene (PP)
 Pritisak / Pressure: 16 bara / 16 bars
 Zemlja porekla / Country of origin: Srbija / Serbia



- ① Uvodnik / Thrust ring
- ② Prsten / Clamp ring
- ③ Navrtka / Nut

Glavne komponente kompresionih spojnica su od sledećih materijala
 The main components of compression fittings are made of the following materials:

Telo / Body:

polipropilen, kopolimer visoke stabilnosti (PP-B) sa UV zaštitom / polypropylene, copolymer stabilized (PP-B), UV stabilized

Zaptivka / Gasket:

nitritna guma (NBR) / food safe rubber (NBR)

Uvodnik (čaura) / Thrust ring:

polipropilen, kopolimer visoke stabilnosti (PP-B) sa UV zaštitom / polypropylene, copolymer stabilized (PP-B), UV stabilized

Prsten / Clamp ring:

acetal smola (POM) / polyacetal resin (POM)

Navrtka / Nut:

polipropilen, kopolimer visoke stabilnosti (PP-B) sa UV zaštitom / polypropylene, copolymer stabilized (PP-B), UV stabilized



- ① Iseći cev pod pravim uglom pomoću makaza za sečenje cevi (kao na slici).

Cut the pipe at the right angle using the scissors for cutting pipes (see the picture).



- ② Odšrafiti plavu navrtku sa tela fittinga i kroz nju provući crevo tako da širi deo sa navojem bude postavljen prema telu fittinga, a zatim postaviti i beli prsten.

Unscrew the blue nut from the fitting body and pull the pipe through it so that the wider part with the coil is set towards the fitting body, and then put the white clamp ring.



- ③ Uvucite cev u uvodnik na telu fittinga (koliko je moguće), zatim privucite beli prsten skroz do tela fittinga.

Insert the pipe in the thrust ring on the fitting body (as far as possible) and pull the white clamp ring all the way to the fitting body.



- ④ Rukom našrafite plavu navrtku, a zatim, ako je potrebno, dodatno stegnite specijalnim ključem.

Screw the blue nut manually, and then, if it is necessary, tighten it with a special pipe wrench.



- ⑤ Navrtka mora biti čvrsto zašrafljena, ali ne mora doći do kraja navoja na telu fittinga.

The nut has to be firmly screwed, but it does not have to reach the end of the coil on the fitting body.



Kompresione spojnice su specijalno dizajnirane za spajanje polietilenskih (okiten) creva.

Koriste se u sistemima za distribuciju vode za piće i drugih tečnosti. Kvalitet korišćenih materijala čini kompresioni fittinge otpornim na eroziju u odnosu na više hemijskih supstanci i UV zračenja.

Europlast kompresione spojnice se izuzetno lako i brzo montiraju. Zadovoljavaju sve međunarodne standarde u pogledu mehaničkih osobina i kompatibilnosti hrane.



Compression fittings are specially designed for joining polyethylene (okiten) pipes.

They are used for distribution systems of drinking water and other liquids. The quality of used materials makes the compression fittings resistant to erosion to many chemical substances and UV radiation.

Europlast compression fittings are exceptionally easily and fast installed. They satisfy all international standards concerning mechanical features and food compatibility.




MONA

TOALETNI ORMARIĆ



NOVO

Šifra / Code: 2024



Vidi se lepše u ogledalu Europlasta
Images are more beautiful in Europlast mirrors





Šifra / Code: **2003**



OGLEDALO SA ETAŽEROM
MIRROR WITH SHELF



Šifra / Code: **2004**




OKRUGLO OGLEDALO
ROUND MIRROR





Šifra / Code: 2007




OGLEDALO 570 x 570
MIRROR 570 x 570



Šifra / Code: 2009



600 x 410 mm




POLICA SA OGLEDALOM
SHELF WITH MIRROR





Šifra / Code: 2005



OGLEDALO SA ETAŽERIMA
MIRROR WITH SHELVES



Šifra / Code: 2008



ETAŽER
SHELF





UGAONA POLICA - BELA
CORNER SHELF - WHITE




UGAONA POLICA - SIVA
CORNER SHELF - GREY

Šifra / Code: 2002



UGAONA POLICA - PLAVA
CORNER SHELF - BLUE



SKICA UGAONE POLICE
CORNER SHELF - SKETCH

TOALET WC DASKE
TOILET SEATS



EUROPLAST



Jedan **SAVET!** Kvalitet na prvom mestu.



GLAMUR



Daske za WC šolje

Šifra / Code: 2021

ANTIBAKTERIJSKA WC DASKA
ANTIBACTERIAL TOILET SEAT

Šifra / Code: 2020

POLIPROPILEN WC DASKA
POLYPROPYLENE TOILET SEAT

FAMILY

Nešto novo u Europlastu za najmlađe.



Šifra / Code: 2022


★ **NEW**

Something new in Europlast for the youngest.



TIPLI

WALL PLUGS



gužvajući tipli
screw anchor



Ø10 mm



Ø8 mm



Ø6 mm



tipli
padobranci
butterfly wall plugs for KNAUF

Tipli padobranci

Koriste se za:

- ciglu - punu i šuplju
- blok
- monta
- beton
- pločice, keramika
- drvo
- knauf

STIROPOR

Gužvajući tipli Ø 6, Ø 8, Ø 10

Koriste se za:

- ciglu - punu i šuplju
- blok
- monta
- beton
- pločice, keramika
- drvo

Pakovanje sadrži
100 komada
tipli sa vijakom

TIPLI PADOBRANCI



TIPLI



TIPLI ZA STIROPOR
STYROFOAM WALL PLUG

Butterfly wall plugs

They are used for:

- brick - solid and hollow
- block
- filler block
- concrete
- tiles, ceramics
- wood
- knauf

STYROFOAM



gužvajući
tipli




Screw anchor Ø 6, Ø 8, Ø 10

They are used for:

- brick - solid and hollow
- block
- filler block
- concrete
- tiles, ceramics
- wood

The packaging
contains 100 wall
plugs with screws







УНИВЕРЗИТЕТ У НИШУ
МАШИНСКИ ФАКУЛТЕТ
ЗАВОД ЗА МАШИНСКО ИНЖЕЊЕРСТВО
ЛАБОРАТОРИЈА ЗА ИСПИТИВАЊЕ МАТЕРИЈАЛА И МАШИНА
(8000) Ниш, ул. А. Маджиара бр. 14, телефон: 018/585-195
факс: 018/580-642, 500-683, 500-695, 500-701; е-пошта: zavo@masfak.ni.ac.rs



ИЗВЕШТАЈ Бр. 612-30-1-1/10

О ИСПИТИВАЊУ ПП КОМПРЕСИОНИХ ФИТИНГА ЗА ОКИТЕН ЦРЕВА

НАРУЧИЛАЦ: СРП "ЕУРОПЛАСТ"
Никола Никола Тесла, Ул. Златицка 43
11110 Ниш
Број захтева: Датум: 30.06.2010. године

Метод испитивања: Провера дапазија по SRPS G.S3.502,
испитивање стабилности при напону по SRPS G.S3.503 и
отпорност према унутрашњем притиску по SRPS G.S3.503.

Налици и узорци: Достављено од стране наручилаца.
Налицима приноси: ПП компресивни фитинг за окитен
црева изазваног притиском 20 mm.
Година производње: 2010.
Материјал: полипропилен, полиолефин високе
стабилности (PP-B) са UV заштитом

Налици притисака: 16 bar при 20 °C,
20 °C,
Радна температура: 20 °C,
Беле: тако сачињени – врста, материјал сачињени – пластика

Резултати испитивања су наведени само на издатом захтеву. Овај извештај је издат само у случају укупног испитивања
по свим условима лабораторијске документације, лабораторије.

У Нишу, 01.07.2010. године:

Руководилац
Лабораторије
Проф. др Горан Радековић
Проф. др Драган Милетић



УНИВЕРЗИТЕТ У НИШУ
МАШИНСКИ ФАКУЛТЕТ
ЗАВОД ЗА МАШИНСКО ИНЖЕЊЕРСТВО
ЛАБОРАТОРИЈА ЗА ИСПИТИВАЊЕ МАТЕРИЈАЛА И МАШИНА
15000 Ниш, ул. А. Маджиара бр. 14, телефон: 018/585-195
факс: 018/ 500-739, 500-696, 500-701; е-пошта: zavo@masfak.ni.ac.rs

СТРУЧНИ НАЛАЗ Бр. 612-22-26/11

КАО ПОТВРДА КВАЛИТЕТА И ФУНКЦИОНАЛНИХ ПАРАМЕТАРА ОПРЕМЕ ЗА КУПАТИЛО "EUROPLAST"

Наручилац - произвођач: СРП "ЕУРОПЛАСТ"
18205 Нишка Бања, Николе Никола Тесла, Запљанска 43

Метод испитивања: Функционално испитивање.
Контрола спољашњих и унутрашњих димензија.
Контрола и врста материјала употребљених за извођење извода.

Подаци о узорцима: Достављено од стране наручилаца.

Испитивани производ: Опрема за купатило

Материјал опреме за купатило: ПП гранулат
Боја опреме за купатило: Бела

Ниш, 07.02.2011. год.

Руководилац
Лабораторије
Проф. др Горан Радековић
Проф. др Милан Драган



УНИВЕРЗИТЕТ У НИШУ
МАШИНСКИ ФАКУЛТЕТ
ЛАБОРАТОРИЈА ЗА ИСПИТИВАЊЕ
МАТЕРИЈАЛА И МАШИНА
А. Маджиара 14, 15000 Ниш, Тел: 018/585-195, Факс: 018/580-739

ИЗВЕШТАЈ Бр. 612-22-1-1/07

О ИСПИТИВАЊУ ПП ЦЕВИ И СПОЈНИХ ЕЛЕМЕНАТА

НАРУЧИЛАЦ: СРП "ЕУРОПЛАСТ"
Никола Никола Тесла, Ул. Златицка 43
11110 Ниш
Број захтева: Датум: 21.12.2006. године

ПОДАЦИ О ПРОИЗВОДУ

Назив производа: ПП ЦЕВИ И СПОЈНИ ЕЛЕМЕНТИ ЗА
ТОПЛО-ХЛАДНО И ПИЈАЉИ ВОДУ
Година производње: 2007
Материјал: Полипропилен равнаг композитног PP-B

ТЕХНИЧКЕ КАРАКТЕРИСТИКЕ

Налици притисака: 20 bar при 20 °C,
Налици температуре: 20 mm,
Налици дебљине: 4.0 mm,
Радна температура: до 95 °C,
Беле: Бела, естетско глатка, чисти поврх и сави

Испитивање полипропиленских ЦЕВИ И СПОЈНИХ ЕЛЕМЕНТИ извршено у лабораторији при температури притиска од 20 °C, стандард JUS G.S3.503 и у лабораторији извршено у складу са JUS G.S3.502.

Сачињено две јединице испитивања о испитивању је:
• испитивање о испитивању извршено испитивањем у форми цевки и сачињених елемената

У Нишу, 09.01.2007. године

РУКОВОДИЛАЦ
ЛАБОРАТОРИЈЕ
Проф. др Горан Радековић
ДИРЕКТОР ИНСТИТУТА ЗА
МАШИНСКО
Проф. др Милан Драган

ИНСТИТУТ ЗА ЗАШТИТУ ЗДРАВЉА ЛОС
РЕКТОР ЗА ЗАШТИТУ ЗДРАВЉА ЛОС
Телефон: 018/524-410, 524-314, 524-315, 524-316, 524-317, 524-318, 524-319, 524-320, 524-321, 524-322, 524-323, 524-324, 524-325, 524-326, 524-327, 524-328, 524-329, 524-330, 524-331, 524-332, 524-333, 524-334, 524-335, 524-336, 524-337, 524-338, 524-339, 524-340, 524-341, 524-342, 524-343, 524-344, 524-345, 524-346, 524-347, 524-348, 524-349, 524-350, 524-351, 524-352, 524-353, 524-354, 524-355, 524-356, 524-357, 524-358, 524-359, 524-360, 524-361, 524-362, 524-363, 524-364, 524-365, 524-366, 524-367, 524-368, 524-369, 524-370, 524-371, 524-372, 524-373, 524-374, 524-375, 524-376, 524-377, 524-378, 524-379, 524-380, 524-381, 524-382, 524-383, 524-384, 524-385, 524-386, 524-387, 524-388, 524-389, 524-390, 524-391, 524-392, 524-393, 524-394, 524-395, 524-396, 524-397, 524-398, 524-399, 524-400, 524-401, 524-402, 524-403, 524-404, 524-405, 524-406, 524-407, 524-408, 524-409, 524-410, 524-411, 524-412, 524-413, 524-414, 524-415, 524-416, 524-417, 524-418, 524-419, 524-420, 524-421, 524-422, 524-423, 524-424, 524-425, 524-426, 524-427, 524-428, 524-429, 524-430, 524-431, 524-432, 524-433, 524-434, 524-435, 524-436, 524-437, 524-438, 524-439, 524-440, 524-441, 524-442, 524-443, 524-444, 524-445, 524-446, 524-447, 524-448, 524-449, 524-450, 524-451, 524-452, 524-453, 524-454, 524-455, 524-456, 524-457, 524-458, 524-459, 524-460, 524-461, 524-462, 524-463, 524-464, 524-465, 524-466, 524-467, 524-468, 524-469, 524-470, 524-471, 524-472, 524-473, 524-474, 524-475, 524-476, 524-477, 524-478, 524-479, 524-480, 524-481, 524-482, 524-483, 524-484, 524-485, 524-486, 524-487, 524-488, 524-489, 524-490, 524-491, 524-492, 524-493, 524-494, 524-495, 524-496, 524-497, 524-498, 524-499, 524-500, 524-501, 524-502, 524-503, 524-504, 524-505, 524-506, 524-507, 524-508, 524-509, 524-510, 524-511, 524-512, 524-513, 524-514, 524-515, 524-516, 524-517, 524-518, 524-519, 524-520, 524-521, 524-522, 524-523, 524-524, 524-525, 524-526, 524-527, 524-528, 524-529, 524-530, 524-531, 524-532, 524-533, 524-534, 524-535, 524-536, 524-537, 524-538, 524-539, 524-540, 524-541, 524-542, 524-543, 524-544, 524-545, 524-546, 524-547, 524-548, 524-549, 524-550, 524-551, 524-552, 524-553, 524-554, 524-555, 524-556, 524-557, 524-558, 524-559, 524-560, 524-561, 524-562, 524-563, 524-564, 524-565, 524-566, 524-567, 524-568, 524-569, 524-570, 524-571, 524-572, 524-573, 524-574, 524-575, 524-576, 524-577, 524-578, 524-579, 524-580, 524-581, 524-582, 524-583, 524-584, 524-585, 524-586, 524-587, 524-588, 524-589, 524-590, 524-591, 524-592, 524-593, 524-594, 524-595, 524-596, 524-597, 524-598, 524-599, 524-600, 524-601, 524-602, 524-603, 524-604, 524-605, 524-606, 524-607, 524-608, 524-609, 524-610, 524-611, 524-612, 524-613, 524-614, 524-615, 524-616, 524-617, 524-618, 524-619, 524-620, 524-621, 524-622, 524-623, 524-624, 524-625, 524-626, 524-627, 524-628, 524-629, 524-630, 524-631, 524-632, 524-633, 524-634, 524-635, 524-636, 524-637, 524-638, 524-639, 524-640, 524-641, 524-642, 524-643, 524-644, 524-645, 524-646, 524-647, 524-648, 524-649, 524-650, 524-651, 524-652, 524-653, 524-654, 524-655, 524-656, 524-657, 524-658, 524-659, 524-660, 524-661, 524-662, 524-663, 524-664, 524-665, 524-666, 524-667, 524-668, 524-669, 524-670, 524-671, 524-672, 524-673, 524-674, 524-675, 524-676, 524-677, 524-678, 524-679, 524-680, 524-681, 524-682, 524-683, 524-684, 524-685, 524-686, 524-687, 524-688, 524-689, 524-690, 524-691, 524-692, 524-693, 524-694, 524-695, 524-696, 524-697, 524-698, 524-699, 524-700, 524-701, 524-702, 524-703, 524-704, 524-705, 524-706, 524-707, 524-708, 524-709, 524-710, 524-711, 524-712, 524-713, 524-714, 524-715, 524-716, 524-717, 524-718, 524-719, 524-720, 524-721, 524-722, 524-723, 524-724, 524-725, 524-726, 524-727, 524-728, 524-729, 524-730, 524-731, 524-732, 524-733, 524-734, 524-735, 524-736, 524-737, 524-738, 524-739, 524-740, 524-741, 524-742, 524-743, 524-744, 524-745, 524-746, 524-747, 524-748, 524-749, 524-750, 524-751, 524-752, 524-753, 524-754, 524-755, 524-756, 524-757, 524-758, 524-759, 524-760, 524-761, 524-762, 524-763, 524-764, 524-765, 524-766, 524-767, 524-768, 524-769, 524-770, 524-771, 524-772, 524-773, 524-774, 524-775, 524-776, 524-777, 524-778, 524-779, 524-780, 524-781, 524-782, 524-783, 524-784, 524-785, 524-786, 524-787, 524-788, 524-789, 524-790, 524-791, 524-792, 524-793, 524-794, 524-795, 524-796, 524-797, 524-798, 524-799, 524-800, 524-801, 524-802, 524-803, 524-804, 524-805, 524-806, 524-807, 524-808, 524-809, 524-810, 524-811, 524-812, 524-813, 524-814, 524-815, 524-816, 524-817, 524-818, 524-819, 524-820, 524-821, 524-822, 524-823, 524-824, 524-825, 524-826, 524-827, 524-828, 524-829, 524-830, 524-831, 524-832, 524-833, 524-834, 524-835, 524-836, 524-837, 524-838, 524-839, 524-840, 524-841, 524-842, 524-843, 524-844, 524-845, 524-846, 524-847, 524-848, 524-849, 524-850, 524-851, 524-852, 524-853, 524-854, 524-855, 524-856, 524-857, 524-858, 524-859, 524-860, 524-861, 524-862, 524-863, 524-864, 524-865, 524-866, 524-867, 524-868, 524-869, 524-870, 524-871, 524-872, 524-873, 524-874, 524-875, 524-876, 524-877, 524-878, 524-879, 524-880, 524-881, 524-882, 524-883, 524-884, 524-885, 524-886, 524-887, 524-888, 524-889, 524-890, 524-891, 524-892, 524-893, 524-894, 524-895, 524-896, 524-897, 524-898, 524-899, 524-900, 524-901, 524-902, 524-903, 524-904, 524-905, 524-906, 524-907, 524-908, 524-909, 524-910, 524-911, 524-912, 524-913, 524-914, 524-915, 524-916, 524-917, 524-918, 524-919, 524-920, 524-921, 524-922, 524-923, 524-924, 524-925, 524-926, 524-927, 524-928, 524-929, 524-930, 524-931, 524-932, 524-933, 524-934, 524-935, 524-936, 524-937, 524-938, 524-939, 524-940, 524-941, 524-942, 524-943, 524-944, 524-945, 524-946, 524-947, 524-948, 524-949, 524-950, 524-951, 524-952, 524-953, 524-954, 524-955, 524-956, 524-957, 524-958, 524-959, 524-960, 524-961, 524-962, 524-963, 524-964, 524-965, 524-966, 524-967, 524-968, 524-969, 524-970, 524-971, 524-972, 524-973, 524-974, 524-975, 524-976, 524-977, 524-978, 524-979, 524-980, 524-981, 524-982, 524-983, 524-984, 524-985, 524-986, 524-987, 524-988, 524-989, 524-990, 524-991, 524-992, 524-993, 524-994, 524-995, 524-996, 524-997, 524-998, 524-999, 525-000

СТРУЧНО МИШЉЕЊЕ О ЗДРАВСТВЕНОЈ ИСПРАВНОСТИ НАМЕРИЦА И ПРЕДМЕТА ОПШТЕ УПОТРЕБЕ

Датум издања: 01.01.2007. године

Циљ испитивања: Испитивање стабилности при напону по SRPS G.S3.503 и у лабораторији извршено у складу са JUS G.S3.502.

На основу резултата добијених лабораторијских испитивања, производни материјал, са аспекта испитиваних параметара, ОДГОВАРА захтевима Закона о здравственој исправности лековитих средстава и предмета опште употребе (ЗЗЗС) СРП Бр. 33/91).

Датум издања: 04.11.2004.

ДИРЕКТОР ИНСТИТУТА ЗА
МАШИНСКО
Проф. др Милан Драган

Проф. др Горан Радековић
Проф. др Драган Милетић

IZDAJE
KVALITET
AKCIONARSKO DRUŠTVO ZA IŠTAŽIVANJE KVALITETA "KVALITET" NIŠ
BEOGRAD, 18000 NIŠ
BEOGRAD, 18000 NIŠ
JAVNO DRUŠTVO ZA IŠTAŽIVANJE KVALITETA "KVALITET" NIŠ
BEOGRAD, 18000 NIŠ
BEOGRAD, 18000 NIŠ

SERTIFIKAT
CERTIFICATE

Broj: 07014
kojim potvrđuje da je S.Z.R.
izdatnik

EUROPLAST

ZAPLANJSKA 43, NIŠKA BANJA
uspostavila
laboratoriju

**SISTEM MENADŽMENTA
KVALITETOM**
uspostavila
laboratoriju

prema zahtevima standarda
ISO 9001:2001
JUS ISO 9001:2001

Oblast sertifikacije:
Prerada plastike brizganjem i ekstrudiranjem.

Ovaj sertifikat važi do: 05.06.2010.
This certificate is valid until

Mesto i datum:
Niš, 05.06.2007.

Generalni direktor:
Bogoljub Simonović, dipl. inž.

National Institute of
Food-Hygiene and Nutrition
B-1097 Budapest, Gábor ut 3/a

P.O. Box, H-1276 Budapest 100, PE 52
Tel: (06-1) 215-4130
Fax: (06-1) 215-1545
Telex: 236001

Budapest, 16.09.1998.
Ref. No.19541/98

3554/1998

TISZAI VEGYI KOMBINAT RT
Tiszaziváros
3581

Referring to your letter of ref. No. above hereby we certify that
polypropylene granulates manufactured by Tiszai Vegyi Kombinati Hungary according to our
laboratory control tests meet completely the Hungarian sanitary requirements and the FDA
regulations par. 177.1578, therefore may be used for production of articles coming in contact
with foods.

Yours sincerely

Prof. dr. Tibor Nováky
Chief Medical Director

INSTITUT ZA ZAŠTITU ZDRAVLJA NIŠ
REKTORE ZA ZAŠTITU ZDRAVLJA NIŠ
Tелефон: 018/524-410, 524-314, 524-315, 524-316, 524-317, 524-318, 524-319, 524-320, 524-321, 524-322, 524-323, 524-324, 524-325, 524-326, 524-327, 524-328, 524-329, 524-330, 524-331, 524-332, 524-333, 524-334, 524-335, 524-336, 524-337, 524-338, 524-339, 524-340, 524-341, 524-342, 524-343, 524-344, 524-345, 524-346, 524-347, 524-348, 524-349, 524-350, 524-351, 524-352, 524-353, 524-354, 524-355, 524-356, 524-357, 524-358, 524-359, 524-360, 524-361, 524-362, 524-363, 524-364, 524-365, 524-366, 524-367, 524-368, 524-369, 524-370, 524-371, 524-372, 524-373, 524-374, 524-375, 524-376, 524-377, 524-378, 524-379, 524-380, 524-381, 524-382, 524-383, 524-384, 524-385, 524-386, 524-387, 524-388, 524-389, 524-390, 524-391, 524-392, 524-393, 524-394, 524-395, 524-396, 524-397, 524-398, 524-399, 524-400, 524-401, 524-402, 524-403, 524-404, 524-405, 524-406, 524-407, 524-408, 524-409, 524-410, 524-411, 524-412, 524-413, 524-414, 524-415, 524-416, 524-417, 524-418, 524-419, 524-420, 524-421, 524-422, 524-423, 524-424, 524-425, 524-426, 524-427, 524-428, 524-429, 524-430, 524-431, 524-432, 524-433, 524-434, 524-435, 524-436, 524-437, 524-438, 524-439, 524-440, 524-441, 524-442, 524-443, 524-444, 524-445, 524-446, 524-447, 524-448, 524-449, 524-450, 524-451, 524-452, 524-453, 524-454, 524-455, 524-456, 524-457, 524-458, 524-459, 524-460, 524-461, 524-462, 524-463, 524-464, 524-465, 524-466, 524-467, 524-468, 524-469, 524



AKCIONARSKO DRUŠTVO ZA ISPITIVANJE KVALITETA "KVALITET" Niš
SRBIJA 18000 Niš
Bulevar Svetog Cara Konstantina 82-86
JOINT STOCK COMPANY FOR QUALITY TESTING "KVALITET" Niš
SERBIA 18000 Niš
Boul. Svetog Cara Konstantina 82-86



izdaje
issues

SERTIFIKAT

CERTIFICATE

Broj: 11011
No:

kojim potvrđuje da je s.z.r.
declaring that enterprise



ZAPLANJSKA 43, NIŠ
uspostavila
has established

SISTEM UPRAVLJANJA ZAŠTITOM ŽIVOTNE SREDINE

ENVIRONMENTAL MANAGEMENT SYSTEMS

prema zahtevima standarda
in accordance with the requirements of the quality standard

SRPS ISO 14001/2005

Oblast sertifikacije:
The scope of certification:

Prerada plastike brizganjem i ekstrudiranjem.
Manufacture of plastic injection molding and extrusion.

Ovaj sertifikat važi do: 11. 11. 2014.
This certificate is valid until:

Mesto i datum:
Place and date:

NIŠ, 11. 11. 2011.



39 Generalni direktor:
General Manager:

Bogoljub Simonović
(Bogoljub Simonović, dipl.inž.)



AKCIONARSKO DRUŠTVO ZA ISPITIVANJE KVALITETA "KVALITET" Niš
SRBIJA 18000 Niš
Bulevar Svetog Cara Konstantina 82-86
JOINT STOCK COMPANY FOR QUALITY TESTING "KVALITET" Niš
SERBIA 18000 Niš
Boul. Svetog Cara Konstantina 82-86



izdaje
issues

SERTIFIKAT

CERTIFICATE

Broj: 11076
No:

kojim potvrđuje da je s.z.r.
declaring that enterprise



ZAPLANJSKA 43, NIŠ
uspostavila
has established

SISTEM MENADŽMENTA KVALITETOM

QUALITY MANAGEMENT SYSTEM

prema zahtevima standarda
in accordance with the requirements of the quality standard

SRPS ISO 9001/2008

Oblast sertifikacije:
The scope of certification:

Prerada plastike brizganjem i ekstrudiranjem.
Manufacture of plastic injection molding and extrusion.

Ovaj sertifikat važi do: 11. 11. 2014.
This certificate is valid until:

Mesto i datum:
Place and date:

NIŠ, 11. 11. 2011.



39 Generalni direktor:
General Manager:

Bogoljub Simonović
(Bogoljub Simonović, dipl.inž.)



Novi Europlastovi proizvodi osvajaju tržište.

Garancija za naš kvalitet je pet decenija postojanja.

The new products of Europlast are taking over the market.

Five decades of our existence guarantee our quality.



EUROPLAST



EUROPLAST SZR

NASELJE NIKOLA TESLA

ZAPLANJSKA 43, 18110 NIŠ

TEL./FAX: +381 18 542 126

OFFICE: +381 18 541 444, 541 230

www.europlastszr.com

e-mail: europlastszr@gmail.com

NAŠ MOTO JE:

- **KVALITET** - KOJI SE VIDI
- **TRADICIJA** - KOJA TRAJE
- **EFIKASNOST** - KOJA JE BITNA
- **BRZINA** - KOJA NAS POVEZUJE
- **LJUBAZNOST** - KOJA NAS ZBLIŽAVA
- **KOREKTNOST** - KOJA JE KLJUČ USPEHA

OUR MOTTO IS:

- **QUALITY** - WHICH CAN BE SEEN
- **TRADITION** - WHICH LASTS
- **EFFICACY** - WHICH IS IMPORTANT
- **SPEED** - WHICH JOINS US
- **KINDNESS** - WHICH BRINGS US TOGETHER
- **CORRECTNESS** - WHICH IS THE KEY TO SUCCESS